



(11) **EP 1 108 553 A1**

EUROPEAN PATENT APPLICATION

(12) **Date of publication:**
20.06.2001 Bulletin 2001/25

(21) **Application number:** 00204204.2

(22) **Date of filing:** 27.11.2000

(84) **Designated Contracting States:**
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE TR

Designated Extension States:
AL LT LV MK RO SI

(30) **Priority:** 01.12.1999 IT MI992507

(71) **Applicant:** Siasprint Group S.r.l.
28100 Novara (IT)

(54) **Machine for printing on a flat support**

(57) **A machine for printing on flat supports of a type equipped with one or more printing heads (12), fed by respective ink reservoirs (13), where the printing heads (12) are supported by a device (14) movable in at least**

(51) **Int. Cl. 7:** B41J 11/00

(72) **Inventor:** Principe, Giuseppe
20156 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(72) **Inventor:** Principe, Giuseppe
20156 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)


(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)

(74) **Representative:** De Gregori, Antonella et al.
Ing. Barzano & Zanardo Milano S.p.A.
Via Borgonuovo 10
20121 Milano (IT)



BEST AVAILABLE COPY

Description

[0001] The object of this invention is a machine for printing on flat supports. The known machines for printing on flat supports and equipped with a multiple number of printing heads are fed by their respective ink reservoirs and movable in perpendicular directions with respect to the surface to be printed, by using a mobile device.

[0002] Such machines generally exhibit a printing head equipped with ink spraying nozzles for various colors, which permit a color printing, especially in a four color process, on a flat support.

[0003] The flat printing supports are generally composed of a special paper. The known printing machines must therefore be used by employing special inks, capable of a quick-drying process in contact with the mentioned special paper.

[0004] It is in fact important that the ink be capable of drying quickly, so as to ensure a high quality printing. Despite being capable of performing the function they were designed for, the printing machines of the described type suffer from a few notable drawbacks.

[0005] In the first place, the use of said special paper as well of the mentioned inks proves to be particularly costly.

[0006] In the second place, the need to use a special paper constitutes an important limitation of the possibilities of using the printing machines known to this date.

[0007] The purpose of this invention is therefore to produce a machine for printing on flat supports, capable of printing on the broadest variety of supports.

[0008] Another purpose of the invention is to produce a machine for printing on flat supports at a low operating cost with respect to that of the printing machines known at this time.

[0009] These and other purposes are achieved by a machine for printing on flat supports made in accordance with claim 1, being referred to for brevity.

[0010] Further characteristics of this invention are defined in the subsequent claims.

[0011] Additional purposes and advantages of this invention will become clear from the description and enclosed drawings to follow, supplied for purely exemplifying and non-limiting purposes, in which:

- Figure 1 shows a prospective view of the machine for printing on flat supports, according to this invention,
- Figure 2 shows a simplified sectional view of the opening mechanism of a box-like body, containing an ultraviolet lamp (UV) and belonging to the printing machine shown in Figure 1,
- Figure 3 shows a simplified sectionalized view of the opening mechanism of Figure 2, in an open position.

[0012] With particular reference to Figure 1, the ma-

chine for printing on flat supports according to this invention is shown in its overall form by the reference number 10.

[0013] The machine 10 is capable of printing on a flat support 11 and equipped with a multiple number of printing heads 12, fed by their respective ink reservoirs 13 and supported by a device 14, which is movable in two perpendicular directions.

[0014] Provision is made for a printing head 12 equipped with spraying nozzles for every color to perform a color printing process, especially in four colors.

[0015] In particular, the mobile device 14 is fastened to an L-shaped support 15, which is in turn capable of sliding along a first straight rail 16.

[0016] The first straight rail 16 actually supports the entire machine 10 and rests in a sliding manner on a pair of guides 17 (only one of which is visible for simplicity in Figure 1).

[0017] The L-shaped support 15 is also firmly associated with a control panel 18 connected to the remainder of the machine 10 by a plastic chain 19, which contains the electrical connecting cables.

[0018] The printing heads 12 are flanked by two ultraviolet (UV) lamps, as indicated in Figure 1 by their respective reference numbers 20 and 21.

[0019] The UV lamps 20 and 21 are housed inside box-like bodies 22 and 23, respectively, which are both capable of being opened and closed in their lower portions.

[0020] In particular, the Figures 2-3 offer a simplified view of the opening mechanism in the lower portion of one of the two box-like bodies, especially of the box-like body 22. The second box-like body 23 is fitted with an entirely similar mechanism, not shown here.

[0021] The mechanism of the Figures 2-3 is constituted by a pair of gears 28 and 29, actuated by a double rack 30, each of which carries a lever 31 and 32.

[0022] The levers 31 and 32 are connected to pivoting walls 33 and 34.

[0023] The box-like bodies 22 and 23 are also connected to flexible tubes 24 and 25, which are in turn receiving air from the fans 26 and 27.

[0024] The group composed of the UV lamps 20 and 21 and of their respective box-like bodies 22 and 23, as well as of the flexible tubes 24 and 25 and the fans 26 and 27, is also firmly attached to the machine 10 and moves together with the same.

[0025] The operation of the machine 10 for printing on flat supports 11, as an object of this invention, is briefly described as follows.

[0026] Thanks to the printing heads 12 fed by the ink reservoirs 13, the printing machine 10 is capable of performing color prints on the flat support 11.

[0027] Because the printing heads 12 are supported by the mobile equipment 14, the printing can be performed on the entire useful surface of the flat support.

[0028] The presence of the ultraviolet lamps UV 20 and 21 allows creating the appropriate spraying condi-

tions to influence the ink sprayed on the flat support 11, so as to warrant a rapid drying-out of the same.

[0029] The particular arrangement of the lamps UV 20 and 21, which are laterally attached to the printing heads 12, allows the freshly sprayed ink to dry, both when printing toward the right or toward the left.

[0030] The use of the lamps UV 20 and 21 allows reaching a very high temperature, which may attain and exceed 700°C, while the presence of the flexible tubes 24 and 25 allows drawing cold air from the fans 26 and 27, so as to avoid any overheating of the components of the machine 10.

[0031] The lower part of the two box-like bodies 21 and 22 may be opened and closed by the mechanism shown in the Figures 2-3, and in particular by the pivoting walls 33 and 34, whenever the light of the lamps UV 20 and 21 needs to be screened off with respect to the flat printing support 11.

[0032] The above description clarifies the characteristics as well as the advantages of the machine for printing on flat supports that is the object of this invention.

[0033] In the first place, the printing machine does not require a special type of paper as a printing support, but is capable of printing on any support.

[0034] Particular examples of said supports, but not limitative thereof, that can be utilized are: normal paper, PVC, wood, aluminum, etc., with the proviso that the machine of the invention can print on any flat support.

[0035] This fact is especially relevant, as it demonstrates the great versatility of use of the printing machine of this invention.

[0036] In the second place, the radiation of the UV lamps allows a fast drying of the ink, which results in a high printing quality.

[0037] Finally, since the invention allows to avoid the use of special paper, it avoids the high costs of operation of the traditional machines.

[0038] It is finally evident that numerous variants may be applied to the machine for printing on flat supports, as an object of this invention, without thereby abandoning the innovative principles inherent in the inventive idea.

[0039] In the practical application of the invention, the materials, shapes and dimensions of the details described above may be of any kind, depending on the requirements, and may be substituted by others of a technically equivalent type.

least an ultraviolet lamp (UV) (20, 21), which is also made mobile by the above equipment (14).

2. A machine (10) according to claim 1, characterized in that said UV lamps (20, 21) are two and arranged on the side of the printing heads (12).
3. A machine (10) according to the claim 1 or 2, characterized in that said UV lamps (20, 21) are contained within some box-like bodies (22, 23), respectively, which may in turn be open or closed in their lower portions.
4. A machine (10) according to claim 3, characterized in that each of said box-like bodies (22, 23) is equipped with pivoting walls (33, 34) connected by levers (31, 32) to gears (28, 29) actuated by double racks (30).
5. A machine (10) according to claim 3, characterized in that said box-like bodies (22, 23) are connected to flexible tubes (24, 25) receiving air from fans (26, 27).
6. A machine (10) according to claim 5, characterized in that the group constituted of said UV lamps (20, 21) and of said box-like bodies (22, 23) as well as of said flexible tubes (24, 25) and said fans (26, 27) is firmly attached to the mentioned machine (10) and moves together with the same.
7. A machine (10) according to claim 1, characterized in that the mentioned mobile equipment (14) is attached to an L-shaped support (15), which may in turn slide along a first straight rail (16).
8. A machine (10) according to claim 7, characterized in that said L-shaped support (15) is attached to a control panel (18) connected to said machine (10) by a plastic chain (19) containing the electric connecting cables.
9. A machine (10) according to claim 7, characterized in that said first rail (16) rests, in a gliding manner, on a pair of guides (17).

Claims

1. A machine (10) for printing on flat supports (11), of a type equipped with one or more printing heads (12) fed by their respective ink reservoirs (13), where said printing heads (12) are supported by an equipment (14) arranged in a mobile manner in at least two perpendicular directions, characterized in that said printing heads (12) are associated with at

...the

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

10-19

F

26

18

15

A perspective view of the proposed mechanism. The diagram shows a complex assembly of mechanical parts. Key components are labeled as follows:

- a**: A vertical rod or shaft passing through the center.
- b**: A horizontal component at the top left, possibly a handle or support arm.
- c**: A small circular component near the top center.
- d**: A larger circular component below 'c'.
- e**: A rectangular block or housing on the right side.
- f**: A curved, spring-like component at the bottom right.
- g**: A small component at the very bottom center.
- h**: A horizontal base or support at the bottom left.
- i**: A vertical component on the far left.
- j**: A small component near the bottom center, above 'g'.
- k**: A small component near the bottom center, to the right of 'j'.
- l**: A small component near the bottom center, to the right of 'k'.
- m**: A small component near the bottom center, to the right of 'l'.
- n**: A small component near the bottom center, to the right of 'm'.
- o**: A small component near the bottom center, to the right of 'n'.
- p**: A small component near the bottom center, to the right of 'o'.
- q**: A small component near the bottom center, to the right of 'p'.
- r**: A small component near the bottom center, to the right of 'q'.
- s**: A small component near the bottom center, to the right of 'r'.
- t**: A small component near the bottom center, to the right of 's'.
- u**: A small component near the bottom center, to the right of 't'.
- v**: A small component near the bottom center, to the right of 'u'.
- w**: A small component near the bottom center, to the right of 'v'.
- x**: A small component near the bottom center, to the right of 'w'.
- y**: A small component near the bottom center, to the right of 'x'.
- z**: A small component near the bottom center, to the right of 'y'.

1. Illecito (non previsto dalla legge)

100% of the respondents agree that the program is a good idea.

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific information required.

1. The first step in the process is to identify the problem. This involves gathering information about the situation and determining what needs to be done. It is important to involve all relevant parties in this process to ensure that everyone's perspective is taken into account.

17

16 (b) (7) (C) [REDACTED]

220

11

[illegible]

10039) to the price of application of the investment in
in whole structure and dimensions of the details of
21 12 24

technically equivalent to requirements and may be substituted by others of

anillo


[illegible]

Fig.2





Fig.3





European Patent
Office

EUROPEAN SEARCH REPORT

Application Number
EP 00 20 4204

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
A	PATENT ABSTRACTS OF JAPAN vol. 1999, no. 09, 30 July 1999 (1999-07-30) & JP 11 105376 A (HITACHI KOKI CO LTD), 20 April 1999 (1999-04-20) * abstract *	1	B41J11/00
A	EP 0 897 805 A (CANON KK) 24 February 1999 (1999-02-24) * paragraph '0152!; figure 20 *	1	
A	PATENT ABSTRACTS OF JAPAN vol. 009, no. 080 (M-370), 10 April 1985 (1985-04-10) & JP 59 209148 A (CANON KK), 27 November 1984 (1984-11-27) * abstract *	1	
			TECHNICAL FIELDS SEARCHED (Int.Cl.7)
			B41J
The present search report has been drawn up for all claims			
Place of search THE HAGUE		Date of completion of the search 4 April 2001	Examiner Wehr, W
<p>CATEGORY OF CITED DOCUMENTS</p> <p>X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document</p> <p>T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document</p>			

EPO FORM 1503 03.92 (P4/C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 00 20 4204

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

04-04-2001

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
JP 11105376	A	20-04-1999	NONE		
EP 0897805	A	24-02-1999	JP	11129460 A	18-05-1999
JP 59209148	A	27-11-1984	DE	3417376 A	15-11-1984
			GB	2142579 A,B	23-01-1985
			HK	72791 A	13-09-1991

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

3955 0 9 17

[illegible][illegible]

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☒ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)